

EAGLE ROCK ENHANCEMENT SERIES ACCENT





A faithful reproduction of cedar's natural grain.



A SIDING THAT LASTS... AND LASTS.

Aside from looking good, Eagle Rock products outlast most other siding products. Their strength and attractiveness come from PVC construction and an acrylic cap, which maximizes colour stability and a vibrant appearance.

These features help you to construct a better-looking building, as well as a building that excels in withstanding weather and everyday events – like stray baseballs and fallen tree limbs!

Eagle Rock products comply with the highest manufacturing and safety standards. They are backed by a limited lifetime warranty for residential applications and a 50-year warranty for commercial applications.

REDUCED INSTALL TIME, COSTS AND WASTE.

Eagle Rock Enhancement Series go up as fast and easy as traditional siding. However, installing siding from Eagle Rock is usually a one-man job. Labour costs can stay low while it frees up other worker's time for different parts of your project – all good for your bottom line.

Eagle Rock Enhancement Series is a smart choice for the environment too. With their random design and hidden seams, small pieces are usable. On an average job, less than 5% of Eagle Rock materials will be scrapped.



AUTHENTIC

- Over 100 unique molds patterned from real cedar shingles and shakes to create these products.
- No visible repeat pattern or seams.
- The Weathered Collection replicates the appearance of cedar that has weathered over time.



EASY TO INSTALL

- 5 foot panels.
- No temperature gauges and cuts easily with snips.
- Left to right installation without pattern layouts. Remaining pieces can be used to start the next course.



SCRAP REDUCTION

- Single course means less scrap on every job.
- Has a scrap rate of less than 5%. On a 20 square job it could save 4-6 squares of product and hundreds of dollars versus an injection molded shake or shingle.



PERFORMANCE

- Does not peel, flake, or blister.
 Backed by a strong limited
 lifetime warranty.
- Can be installed in all climates and all seasons.
- ICC-ES certified.



SAFETY

- Made out of self-extinguishing PVC.
- Awarded the ASTM E84, Class 1

 (A) fire rating, the highest possible standard.
- Conforms to ASTM 3679 specifications for flame and smoke.



COLOURS

- Acrylic cap keeps colours truer longer.
- Colours to complement and enhance the look of your home.



7" Split Shake, Slate Gray (33)

EAGLE ROCK SPLIT SHAKE - 9610-XX

Crafted from hand split cedar, Eagle Rock Shakes are split along the grain, deeply textured in a way that sets off an interplay of light and shadow.





10" Staggered Shake, Sandalwood (05)

EAGLE ROCK STAGGERED - 9611-XX

Eagle Rock Staggered Shakes echo the rustic charm of another time. Their uneven pattern and the rough sawn look of their edges makes them appear handcrafted. This profile is available in 7" and 10" exposures.





7" Shingle, Mahogany (56)

EAGLE ROCK SHINGLE - 9612-XX

Eagle Rock Shingles are crafted from narrow sawn cedar and have a naturally textured surface and edge. You can even see the random marks of a mill saw.





7" Perfection Shingle, Red Cedar (834)

EAGLE ROCK PERFECTION SHINGLE - VSNRPC-XX

The new Perfection Shingle delivers the perfect balance of the deep texture of Shakes and the clean lines of Shingles.





7" Weathered Shake, Desert Sand (804)

THE WEATHERED COLLECTION - 9610-XX

The Weathered Collection Shake gives a home the authentic appearance of cedar siding that has weathered over time. Panels feature a darker hue of a colour in the grain, and a lighter one on the higher points, just as a panel would naturally weather. The proprietary finish on the Weathered Collection offers unmatched colour depth and character.







Fishscale, White (01)

EAGLE ROCK FISHSCALE - 9613-XX

For drama or distinction, nothing matches its versatility or creative possibilities. The natural look of rounded wood shingles adds traditional elegance.







Red Rocks (852)



Mesa (853)

Desert Canyon (851)

EAGLE ROCK COLOUR OFFERING



White (01)



Sandalwood (05)




Linen (10)



Moss (11)



Prestige Beige (20)



Slate Gray (33)



Spice (55)



Mahogany (56)



Forest (57)



Ocean (62)



Barn Red (63)



Mocha (68)



Harvest Cedar (80)

WEATHERED COLLECTION COLOURS



Desert Sand (804)



Weathered Elm (820)



Rustic Teak (828)



Red Cedar (834)

THE STONE COLLECTION COLOURS



Cottonwood (850)



Desert Canyon (851)



Red Rocks (852)



Mesa (853)

Actual colour may vary from printed representations.

EAGLE ROCK PRODUCT COLOUR AVAILABILITY

	7" Split Shake	10" Staggered	7" Staggered	7" Shingle	7" Perfection Shingle	Fishscale	The Stone Collection
White (01)	•	SO	SO	SO	SO	•	
Sandalwood (05)	•	SO	SO	SO	SO	•	
Linen (10)	•	SO	SO	SO	SO	•	
Moss (11)	•	SO	SO	SO	SO		
Prestige Beige (20)	•	SO	SO	SO	SO	•	
Slate Gray (33)	•	SO	SO	SO	SO	•	
Spice (55)	•	SO	SO	SO	SO		
Mahogany (56)	•	SO	SO	SO	SO		
Forest (57)	•	SO	SO	SO	SO		
Ocean (62)	•	SO	SO	SO	SO		
Barn Red (63)	•	SO	SO	SO	SO		
Mocha (68)	•	SO	SO	SO	SO	•	
Harvest Cedar (80)	•	SO	SO	SO	SO		
Weathered Colours Desert Sand (804)	•	S0	SO		SO		
Weathered Elm (820)	•	SO	SO		SO		
Rustic Teak (828)	•	SO	SO		SO		
Red Cedar (834)	•	SO	SO		SO		
The Stone Collection Cottonwood (850)							SO
Desert Canyon (851)							SO
Red Rocks (852)							SO
Mesa (853)							SO

SO = Special Order. 1 square minimum order and extended lead times. See your local KAYCAN distribution center for availability in your area.

CERTIFICATE OF CONFORMANCE

PHYSICAL DATA

Length: -1/4" total length. Width: -1/16" total width

Thickness (nominal): All panels exceed requirements per ASTM D 3679

Camber: <1/8

Heat Shrinkage: ≤3.0% Impact Resistance: 60 in lb + Surface Distortion: None at 120° F

Windload ASTM D5206: Eagle Rock Shake, Shingles & Staggered Shakes exceed 170

mph. Eagle Rock Fishscale panels exceed 150 mph.

FIRE RESISTANCE RATING

ASTM E84: Class 1 (A)

Flame Spread Index: ≤25. Smoke Developed Index: ≤450

Fuel Contribution: O

ASTM D 1929: Self Ignition 878° F

ASTM D 635: Material is self-extinguishing with no measurable extent of burn when

tested in accordance with this specification.

NFPA 268 Radiant Heat Test/Ignition Resistance of Exterior Walls: Conclusion that Eagle Rock vinyl sidings were tested and met the conditions for allowable use as specified in Section 1406 of the International Standard Building Code.

Weathering: Meets the weathering standard in ASTM D 3679 using ASTM D 1435 procedure.

Listed by ICC-ES - Report #ESR-1728.

Product evaluation EC-51 by the Texas Department of Insurance. In compliance with the wind loads specified in International Residential Code (IRC) and the International Building Code (IBC).

3rd Party Compliance with CGSB 41.24.

All products from Eagle Rock have been tested and analyzed to be in conformance with the following:

IBC Paragraph 1405.13 IBC Paragraph 1403.9.1 IRC Table R703.4 IRC Table 1606.2B IBC Chapter 16 UBC Standard 14-2

ASTM D 3679

Florida Building Code 2001 and 2007









EAGLE ROCK SIDING SPECIFICATIONS

		Item #	Length	Width (exp.)	Panels/Ctn. or Lineal Ft.	Sq./Ctn. or Pieces/Ctn.	Lbs./Ctn. (approx.)
	Perfection Shingle 7" Exposure Available in Weathered and Traditional colours.	VSNRPC***	60¾"	7"	34 Panels	One Sq.	55
	Shingle 7" Exposure Available in Traditional colours only.	9612***	60¾"	7"	34 Panels	One Sq.	55
	Split Shakes 7" Exposure Available in Weathered and Traditional colours.	9610***	60¾"	7"	34 Panels	One Sq.	55
O POLICE DE LA COMPANSION DE LA COMPANSI	Staggered Shake 10" Exposure Available in Weathered and Traditional colours.	9611***	62½"	10"	23 Panels	One Sq.	60
	Staggered Shake 7" Exposure Available in Weathered and Traditional colours.	9617***	60¾"	7"	17 Panels	1/2 Sq.	32
	Fishscale 7" Exposure Available in select colours only.	9613***	60"	6"	20 Panels	1/2 Sq.	30
	Shapes Starter Strip Since colours do not aff installation, product col- may vary.		60"	-	100	20 Pieces	11
	Corner Piece 7" Perfection Shingle Available in Weathered and Traditional colours.	9639***	56"	-	20	4 Pieces	20
	Corner Piece 7" Shingle Available in Traditional colours only.	9631***	56"	-	20 Lineal Feet	4 Pieces	30

		Item #	Length	Width (exp.)	Panels/Ctn. or Lineal Ft.	Sq./Ctn. or Pieces/Ctn.	Lbs./Ctn. (approx.)
	Corner Piece " Split Shake Available in Weathered and Traditional colours.	9630***	56"	-	20 Lineal Feet	4 Pieces	15
1	Corner Piece O" Staggered Shake Available in Weathered and Traditional colours.	9634***	60"	-	20 Lineal Feet	4 Pleces	32
P	" J-Channel available in Traditional colours only.	9635***	105½"	_	176 Lineal Feet	20 Pieces	32

STONE TRIM AND ACCESSORIES SPECIFICATIONS

		Item #	Length	Width (exp.)	Panels/Ctn. or Lineal Ft.	Sq./Ctn. or Pieces/Ctn.	Lbs./Ctn. (approx.)
	Stone Panels Available in Stone Collection colours only.	9616***	62"	10"	23 Panels	One Square	48
-	Stone Corner Piece Available in Stone Collection colours only.	9638***	60"	-	20 Lineal Feet	4 Pleces	5
	Stone Starter Strip	9637***	105½"	-	123 Lineal Feet	14 Pieces	11
	Stone Face Transition Sill	9640***	37.5"	-	6.25 Lineal Feet	20 Pieces	7

The perfect accent makes the perfect home.

As one of North America's largest manufacturers of siding profiles and accessories, Kaycan is renowned for offering a vast array of innovative, long-lasting and low maintenance products. Our accessories, accent products and trims offer the perfect finishing touch for the look you've always imagined.

Kaycan... Building Lasting Impressions.

Built on more than 40 years of experience, all our Kaycan vinyl siding and accessories are designed to last for decades. Kaycan has got you covered as all our products are backed by a limited lifetime warranty.











www.kaycan.com 1-800-952-9226

Specifications and colours are subject to change without notice.

Manufacturer shall not be liable.

Consult the VSI website at www.vinylsiding.org for a current list of certified products.

Eagle Rock is a registered trademark of Kaycan.

www.kaycan.com